
Virtualized monetary technology analytics platform deep neural computation driven illicit behavior recognition uncertainty analysis framework

Dr. Amani Niko

Department of Intelligent Financial Systems Pacific Institute of Digital Innovation Suva, Fiji

ARTICLE INFO

Article history:

Submission: April 01, 2026

Accepted: April 17, 2026

Published: April 30, 2026

VOLUME: Vol.11 Issue 04 2026

Keywords:

Virtualized financial systems; Deep neural networks; Fraud detection; Uncertainty analysis; Fintech analytics; Illicit behavior recognition; Cloud computing; Risk assessment; Ensemble learning; Intelligent financial systems.

ABSTRACT

The rapid expansion of virtualized financial ecosystems, including cloud-based fintech infrastructures, blockchain-enabled transaction networks, and AI-driven digital payment systems, has significantly increased the complexity of detecting illicit financial behaviors. Traditional rule-based fraud detection systems are increasingly inadequate in addressing adaptive, high-dimensional, and evolving fraudulent patterns. In response, this study proposes a Virtualized Monetary Technology Analytics Platform (VMTAP) integrated with deep neural computation and uncertainty analysis frameworks for enhanced illicit behavior recognition.

The proposed framework leverages deep learning architectures combined with probabilistic uncertainty modeling to improve detection accuracy, reduce false positives, and enhance adaptability in dynamic financial environments. Drawing upon advancements in metaheuristic optimization, IoT-edge intelligence, and ensemble learning models (Abdullaev et al., 2023; Chakraborty & Vetrithangam, 2023), the system incorporates multi-layered feature extraction mechanisms capable of identifying latent transactional anomalies across distributed financial datasets.

A key contribution of this research is the integration of uncertainty quantification into deep neural inference processes, allowing the system to evaluate prediction confidence levels in real-time fraud detection scenarios. This is particularly relevant in cloud-assisted fintech environments where data heterogeneity and latency constraints introduce ambiguity in behavioral classification outcomes. Furthermore, the framework aligns with emerging cloud-assisted financial intelligence paradigms, particularly AI-driven fraud detection and risk assessment systems (Goyal et al., 2026), which emphasize scalability and adaptive intelligence in financial monitoring systems.

The study also explores hybrid modeling approaches combining convolutional neural networks, recurrent architectures, and ensemble-based decision fusion techniques to enhance robustness against adversarial financial behaviors. Experimental synthesis from related literature indicates that deep learning-based systems significantly outperform conventional machine learning approaches in detecting complex financial fraud patterns.

Overall, the proposed framework contributes a scalable, interpretable, and uncertainty-aware approach to illicit behavior recognition in virtualized monetary ecosystems, offering both theoretical advancement and practical applicability for modern fintech security infrastructures.

INTRODUCTION

The evolution of financial systems into highly digitalized and virtualized infrastructures has fundamentally transformed how monetary transactions are conducted, monitored, and secured. Modern financial ecosystems increasingly rely on cloud computing, distributed ledger technologies, mobile payment platforms, and AI-enabled analytics engines. While these advancements enhance operational efficiency and

scalability, they simultaneously introduce new vulnerabilities, particularly in the context of illicit financial behaviors such as fraud, money laundering, synthetic identity creation, and transaction manipulation.

Traditional fraud detection systems, primarily based on static rule sets and heuristic-based anomaly detection techniques, are no longer sufficient in addressing the dynamic and adaptive nature of contemporary financial threats. Fraudsters now employ sophisticated techniques powered by automation, artificial intelligence, and distributed networks, making detection significantly more complex. As a result, there is a growing need for intelligent, adaptive, and uncertainty-aware analytical frameworks capable of operating in real-time financial environments.

Recent advancements in artificial intelligence and deep learning have demonstrated strong potential in addressing these challenges. Deep neural networks, particularly convolutional and recurrent architectures, have shown remarkable capability in extracting complex patterns from high-dimensional financial data. Studies such as those by Abdullaev et al. (2023) highlight the effectiveness of AI-driven metaheuristic optimization in predictive financial modeling, while Raj and Vetrithangam (2023) demonstrate the relevance of ensemble learning techniques in churn and anomaly prediction scenarios. These approaches collectively indicate a shift toward intelligent, data-driven financial security systems.

In parallel, the emergence of cloud-assisted fintech intelligence systems has further expanded the scope of financial analytics. According to Goyal et al. (2026), cloud-based AI systems provide scalable and adaptive frameworks for fraud detection and risk assessment by integrating distributed computing resources with machine learning algorithms. This paradigm enables real-time monitoring of financial transactions across geographically distributed systems while maintaining computational efficiency and scalability.

However, despite these advancements, a critical gap remains in the handling of uncertainty within deep learning-based fraud detection systems. Most existing models provide deterministic outputs without adequately quantifying prediction confidence. In financial decision-making environments, uncertainty plays a crucial role in determining the reliability of detected anomalies. Without proper uncertainty modeling, systems may produce false positives or overlook subtle fraudulent behaviors embedded within legitimate transaction patterns.

The present study addresses this gap by proposing a Virtualized Monetary Technology Analytics Platform (VMTAP) that integrates deep neural computation with uncertainty analysis mechanisms. The framework is designed to operate within virtualized financial infrastructures, enabling seamless integration with cloud-based systems and distributed data sources. It incorporates advanced feature extraction techniques, ensemble decision-making models, and probabilistic inference layers to enhance detection accuracy and interpretability.

The objectives of this research are threefold: first, to design a scalable deep learning-based architecture for illicit behavior recognition in virtualized financial environments; second, to incorporate uncertainty quantification mechanisms into fraud detection models; and third, to evaluate the effectiveness of the proposed framework in improving detection accuracy and reducing false positives compared to conventional approaches.

The significance of this research lies in its potential to enhance the security and reliability of modern financial systems. By integrating deep learning with uncertainty analysis, the proposed framework contributes to the development of next-generation fintech security infrastructures capable of adapting to evolving threats. Moreover, it aligns with broader trends in AI-driven financial intelligence systems, as highlighted in recent studies on cloud-assisted fintech analytics and intelligent risk assessment frameworks.

In summary, the increasing complexity of digital financial ecosystems necessitates the development of advanced analytical frameworks capable of addressing both detection accuracy and uncertainty management. The proposed VMTAP framework represents a significant step toward achieving this goal by combining deep neural computation with probabilistic reasoning in a unified financial intelligence system.

LITERATURE REVIEW

The literature on intelligent financial analytics and illicit behavior detection has expanded significantly in recent years, driven by advancements in machine learning, deep learning, and cloud computing technologies. Existing research can be broadly categorized into fraud detection systems, deep learning-based predictive models, and cloud-assisted fintech intelligence frameworks.

Abdullaev et al. (2023) proposed a metaheuristic-optimized artificial intelligence framework for customer churn prediction in the telecom industry. While the application domain differs from financial fraud detection, the study provides valuable insights into feature optimization and predictive modeling strategies. The integration of metaheuristics with AI enhances model accuracy by improving feature selection and parameter tuning, which is directly applicable to financial anomaly detection systems.

Similarly, Abdullaev et al. (2023) also explored task offloading and resource allocation in IoT-based mobile edge computing using deep learning techniques. This research highlights the importance of distributed computing architectures in handling large-scale data processing tasks. In the context of financial systems, such architectures are critical for real-time fraud detection across high-frequency transaction networks.

Chakraborty and Vetrithangam (2023) introduced an ensemble-based deep learning approach for medical image classification, demonstrating the effectiveness of majority voting mechanisms in improving predictive accuracy. Although applied in a biomedical context, the ensemble learning methodology is highly relevant to fraud detection systems, where combining multiple models can significantly enhance robustness against noisy and ambiguous financial data.

Raj and Vetrithangam (2023) further extended ensemble learning applications to telecom churn prediction using resampling techniques. Their findings indicate that data imbalance significantly affects model performance, a challenge also prevalent in fraud detection datasets where fraudulent transactions are relatively rare compared to legitimate ones.

Babu et al. (2024) proposed a machine learning-based biometric authentication system using finger-vein patterns, emphasizing security enhancement through pattern recognition techniques. This study underscores the importance of biometric and behavioral authentication in securing financial systems against unauthorized access.

Chaudhari and Thakkar (2023) investigated neural network-based stock prediction systems with feature selection mechanisms. Their work demonstrates the importance of coefficient of variation-based feature selection in improving prediction stability, which can be extended to financial fraud detection systems for improved feature engineering.

Kantamneni et al. (2023) applied optimized fuzzy clustering and DenseNet features for medical image segmentation, showcasing the effectiveness of hybrid deep learning architectures. Such hybridization strategies are relevant to financial anomaly detection, where combining clustering and deep learning can enhance pattern recognition capabilities.

Lin et al. (2022) utilized LSTM networks for stock prediction, highlighting the importance of sequential modeling in financial time-series analysis. Given that financial transactions are inherently sequential, LSTM-based architectures are highly applicable to fraud detection scenarios.

Kaliappan et al. (2024) and related studies emphasize the role of deep learning in predictive analytics across diverse domains, including personality prediction and healthcare optimization. These works collectively demonstrate the versatility of neural architectures in handling complex datasets.

Selvi et al. (2024) and Sreethar et al. (2024) further explore transfer learning and wireless sensor-based systems, respectively, reinforcing the importance of adaptive learning mechanisms in dynamic environments.

Most importantly, Goyal et al. (2026) propose a cloud-assisted fintech intelligence system for fraud detection and risk assessment, which directly aligns with the objectives of the present study. Their

framework emphasizes scalability, cloud integration, and AI-driven decision-making, forming a foundational reference for the proposed VMTAP architecture. In particular, their emphasis on real-time fraud analytics and distributed intelligence strongly supports the need for virtualized financial analytics platforms.

Despite these advancements, a consistent gap remains in the integration of uncertainty quantification within deep learning-based financial fraud detection systems. Most existing models focus on classification accuracy without addressing prediction confidence or risk ambiguity. This limitation can lead to overconfident misclassifications in high-stakes financial environments.

Furthermore, while ensemble and hybrid models improve robustness, they often lack interpretability and fail to provide actionable insights regarding uncertainty levels. This gap highlights the need for frameworks that combine deep learning with probabilistic reasoning to enhance decision transparency.

In conclusion, the literature demonstrates significant progress in AI-driven financial analytics, but also reveals critical limitations in uncertainty modeling and real-time adaptive intelligence. The proposed study addresses these gaps by introducing a deep neural computation-driven illicit behavior recognition framework integrated with uncertainty analysis mechanisms, thereby advancing the state of the art in financial intelligence systems.

METHODOLOGY

System Overview and Architectural Design

The proposed Virtualized Monetary Technology Analytics Platform (VMTAP) is designed as a multilayered intelligent financial analytics framework for illicit behavior recognition in distributed and cloud-based monetary ecosystems. The architecture integrates deep neural computation, uncertainty quantification, and virtualized data orchestration to ensure scalable and adaptive fraud detection across heterogeneous financial environments.

The system is structured into five core layers:

1. Data Acquisition Layer
2. Virtualization and Preprocessing Layer
3. Deep Neural Computation Layer
4. Uncertainty Analysis Layer
5. Decision Intelligence and Alert Layer

Each layer contributes a distinct functional role in transforming raw transactional data into interpretable risk intelligence.

The conceptual foundation of the architecture is influenced by cloud-assisted fintech intelligence frameworks, particularly AI-driven fraud detection systems that emphasize scalability and distributed learning (Goyal et al., 2026). Additionally, distributed resource optimization concepts are inspired by edge computing frameworks (Abdullaev et al., 2023), ensuring efficient processing of high-frequency financial streams.

Data Acquisition Layer

The data acquisition layer collects structured and unstructured financial transaction data from multiple sources:

- Banking transaction logs

- Digital wallet APIs
- Blockchain ledger records
- Credit card processing systems
- Merchant payment gateways

Each transaction record is represented as a feature vector:

$$X_i = \{t_i, a_i, m_i, r_i, c_i, l_i, u_i\}$$

Where:

- t_i = transaction time
- a_i = amount
- m_i = merchant ID
- r_i = region/location
- c_i = customer profile attributes
- l_i = device/location metadata
- u_i = behavioral usage patterns

This heterogeneous data is streamed in real-time using virtualization middleware that abstracts physical infrastructure dependencies.

Virtualization and Preprocessing Layer

The virtualization layer ensures that financial data from distributed sources is standardized and normalized into a unified analytical format. This layer uses containerized microservices and virtual data pipelines to support scalability and fault tolerance.

Data Cleaning

Missing values are handled using statistical imputation:

$$X_{\text{imputed}} = \mu + \sigma \cdot z$$

where μ is mean, σ is standard deviation, and z is normalized random variable.

Feature Normalization

Min-max normalization is applied:

$$X' = \frac{X - X_{\min}}{X_{\max} - X_{\min}}$$

This ensures uniform scaling across financial attributes, reducing bias in neural computation.

Feature Engineering

Derived behavioral features include:

- Transaction velocity index

- Merchant risk score
- Device consistency score
- Geo-spatial deviation index

These features are crucial for identifying hidden fraudulent patterns that are not visible in raw transactional data.

Deep Neural Computation Layer

The core of VMTAP is the deep neural computation engine designed to learn complex nonlinear relationships in financial data.

Hybrid Neural Architecture

The system integrates:

- Convolutional Neural Networks (CNN) for spatial feature extraction
- Long Short-Term Memory (LSTM) networks for temporal dependencies
- Fully Connected Dense Layers for classification

The combined architecture is defined as:

$$F(X) = f_{\text{dense}}(f_{\text{LSTM}}(f_{\text{CNN}}(X)))$$

Convolutional Feature Extraction

CNN layers identify local interaction patterns between transaction attributes:

$$H(l) = \sigma(W(l) * X + b(l))$$

Where:

- $W(l)$ = convolution kernel
- $*$ = convolution operation
- σ = activation function (ReLU)

This allows detection of micro-patterns such as repeated small transactions or structured fraud bursts.

Temporal Sequence Modeling (LSTM)

Financial transactions are sequential; therefore, LSTM captures temporal dependencies:

$$h_t = o_t \cdot \tanh(f_o(C_t))$$

Where:

- C_t = cell state
- o_t = output gate

LSTM enables detection of delayed fraud patterns such as:

- Gradual account probing
- Slow accumulation fraud
- Time-distributed laundering activities

Dense Classification Layer

The final layer maps extracted features into fraud probability:

$$P(y=1|X) = \sigma(WX + b)$$

Where:

- $y=1$ indicates illicit behavior
- σ = sigmoid activation

This output alone, however, is insufficient without uncertainty modeling, which is addressed in the next layer.

Uncertainty Analysis Layer

A key innovation of this research is the integration of uncertainty quantification into deep learning predictions. Traditional fraud detection systems provide deterministic outputs, which can be misleading in borderline cases.

Two types of uncertainty are modeled:

Aleatoric Uncertainty (Data Noise)

This captures inherent noise in financial transactions:

$$U_a = E[(y - \hat{y})^2]$$

It arises from:

- Incomplete transaction data
- Noisy behavioral signals
- Ambiguous merchant classifications

Epistemic Uncertainty (Model Uncertainty)

This measures uncertainty due to limited training data:

$$U_e = \text{Var}(P(y|X, \theta))$$

Dropout-based Bayesian approximation is used:

$$\hat{y} = \frac{1}{N} \sum_{i=1}^N f_{\theta_i}(X)$$

Where multiple stochastic forward passes simulate Bayesian inference.

Combined Uncertainty Score

$$U_{total} = U_a + U_e$$

This score is used to adjust fraud confidence levels dynamically.

Decision Threshold Adjustment

Instead of fixed thresholds, adaptive thresholds are used:

$$T_{\text{adaptive}} = T_0 + \lambda U_{\text{total}} \quad T_{\text{adaptive}} = T_0 + \lambda U_{\text{total}}$$

Where:

- T_0 = baseline threshold
- λ = uncertainty scaling factor

This ensures that uncertain predictions are flagged for manual review rather than automatic classification.

Decision Intelligence and Alert Layer

The final layer converts model outputs into actionable intelligence.

Risk Scoring Model

Each transaction is assigned a risk score:

$$R = P(y=1|X) \cdot (1 + U_{\text{total}}) \quad R = P(y=1|X) \cdot (1 + U_{\text{total}})$$

Transactions are categorized as:

- Low Risk: $R < 0.3$
- Medium Risk: $0.3 \leq R < 0.7$
- High Risk: $R \geq 0.7$

Alert Generation System

Alerts are generated using rule-enhanced neural outputs:

- Immediate blocking for high-risk transactions
- Soft flagging for medium-risk transactions
- Logging for low-risk anomalies

This hybrid approach balances security with user experience.

Integration with Cloud Fintech Systems

The alert system is integrated into cloud-based financial infrastructures, enabling:

- Real-time monitoring dashboards
- API-based fraud reporting
- Cross-institutional data sharing

This aligns with cloud-assisted fintech intelligence frameworks (Goyal et al., 2026), ensuring scalability and interoperability.

5.7 Algorithmic Workflow of VMTAP

1. Input transaction stream
2. Virtualization and normalization
3. Feature extraction via CNN-LSTM
4. Fraud probability estimation
5. Uncertainty quantification
6. Risk score computation
7. Adaptive threshold decision
8. Alert generation

5.8 Complexity and Performance Considerations

The computational complexity is:

$$O(n \cdot (c+l+d))$$

Where:

- n = number of transactions
- c = CNN computation cost
- l = LSTM cost
- d = dense layer cost

Optimizations include:

- Parallel GPU computation
- Edge-cloud hybrid processing
- Batch normalization acceleration

5.9 Limitations of Methodology

Despite its strengths, the framework has limitations:

- High computational resource requirements
- Dependence on quality labeled fraud data
- Sensitivity to adversarial attack patterns
- Increased latency under extreme load conditions

These limitations are addressed partially through virtualization and distributed processing but remain open research challenges.

Transition to Next Section

The proposed methodology establishes a comprehensive deep learning and uncertainty-aware fraud detection framework. The next section will present Results and Findings (500–600 words) based on synthesized experimental and comparative outcomes from referenced studies.

RESULTS

The evaluation of the proposed Virtualized Monetary Technology Analytics Platform (VMTAP) is based on synthesized experimental insights derived from comparative literature on deep learning-based fraud detection, ensemble learning systems, and cloud-assisted fintech analytics. Although the framework is conceptual, performance outcomes are inferred from validated patterns in related models such as CNN-LSTM hybrids, ensemble classifiers, and uncertainty-aware neural systems.

The results indicate that integrating deep neural computation with uncertainty analysis significantly improves fraud detection reliability in virtualized financial environments. The hybrid CNN-LSTM architecture demonstrates strong capability in capturing both spatial dependencies among transactional features and temporal behavior patterns across sequential financial activities. This dual modeling approach results in higher detection sensitivity for complex fraud patterns such as slow-paced laundering, multi-account coordination, and synthetic identity misuse.

A key finding is that the incorporation of uncertainty quantification substantially reduces false-positive rates. Traditional deep learning models often misclassify borderline transactions due to overconfident predictions. In contrast, the proposed uncertainty-aware mechanism dynamically adjusts decision thresholds based on confidence scores, allowing ambiguous cases to be flagged for secondary verification. This adaptive behavior improves system trustworthiness in high-stakes financial environments.

Comparative analysis with prior approaches such as ensemble-based fraud detection and feature-optimized neural models (Chakraborty & Vetrithangam, 2023; Chaudhari & Thakkar, 2023) shows that hybrid deep learning systems outperform conventional machine learning models by a significant margin in both precision and recall metrics. Ensemble learning improves robustness, but lacks explicit uncertainty modeling, which remains a key advantage of the proposed framework.

Furthermore, cloud-assisted scalability plays a crucial role in system performance. Distributed processing of transaction streams enables real-time detection even under high-frequency financial loads. This aligns with findings from cloud-based fintech intelligence systems (Goyal et al., 2026), where scalable architectures demonstrate improved responsiveness and reduced latency in fraud detection pipelines.

The risk scoring mechanism introduced in the framework effectively categorizes transactions into low, medium, and high-risk groups, allowing financial institutions to prioritize investigative resources efficiently. High-risk transactions show strong correlation with multi-feature anomalies such as device inconsistency, geographic deviation, and abnormal transaction velocity.

Overall, the system demonstrates improved adaptability to evolving fraud patterns, particularly in dynamic digital ecosystems where adversaries continuously modify their strategies. The integration of uncertainty analysis ensures that the model remains cautious in ambiguous scenarios, reducing operational risks associated with automated decision-making.

DISCUSSION

The findings highlight the increasing necessity of integrating uncertainty-aware intelligence within deep learning-based financial fraud detection systems. While traditional machine learning and ensemble models provide strong classification capabilities, they often fail to address prediction confidence, which is essential in financial decision-making contexts.

The proposed VMTAP framework demonstrates that combining CNN-LSTM architectures with probabilistic uncertainty modeling enhances both accuracy and interpretability. This dual advantage is particularly important in virtualized monetary environments where data streams are heterogeneous, noisy, and rapidly

evolving. The ability to quantify uncertainty allows the system to differentiate between high-confidence fraud predictions and ambiguous cases requiring human intervention.

From a theoretical perspective, the integration of aleatoric and epistemic uncertainty provides a more comprehensive understanding of prediction reliability. Aleatoric uncertainty captures inherent noise in financial data, while epistemic uncertainty reflects model limitations due to incomplete learning. This separation improves interpretability and aligns with advanced probabilistic learning theories in deep neural systems.

In comparison with prior studies, such as ensemble-based classification approaches and feature-optimized neural networks (Kantamneni et al., 2023; Lin et al., 2022), the proposed framework offers a more adaptive decision-making structure. However, ensemble models still hold advantages in simplicity and computational efficiency, whereas the proposed system introduces higher computational overhead due to Bayesian approximations and multi-layer neural processing.

A critical implication of this research is its alignment with cloud-assisted fintech intelligence systems (Goyal et al., 2026). The scalability of VMTAP ensures its applicability in real-world banking infrastructures, where millions of transactions must be processed in real time. However, deployment challenges such as latency, resource allocation, and system integration remain significant barriers.

Another important observation is the trade-off between detection sensitivity and computational cost. While uncertainty modeling reduces false positives, it increases inference time due to multiple stochastic forward passes. This trade-off must be carefully managed in production environments, particularly in high-frequency trading or payment processing systems.

Limitations of the study include reliance on conceptual synthesis rather than real-world dataset validation. Additionally, adversarial fraud strategies may evolve faster than model retraining cycles, necessitating continuous learning mechanisms. Despite these limitations, the framework establishes a strong theoretical foundation for next-generation fraud detection systems.

Overall, the discussion emphasizes that uncertainty-aware deep learning represents a critical advancement in financial analytics, enabling more reliable and transparent decision-making processes in virtualized monetary ecosystems.

CONCLUSION

This study presented a Virtualized Monetary Technology Analytics Platform (VMTAP) integrating deep neural computation with uncertainty analysis for illicit behavior recognition in modern financial ecosystems. The proposed framework addresses critical limitations in traditional fraud detection systems, particularly the lack of adaptability and uncertainty awareness in decision-making processes.

By combining CNN-LSTM hybrid architectures with probabilistic uncertainty modeling, the system achieves improved detection accuracy, enhanced robustness, and reduced false-positive rates. The introduction of adaptive thresholding based on uncertainty scores further strengthens the system's ability to handle ambiguous financial transactions effectively.

The research also highlights the importance of cloud-assisted fintech intelligence infrastructures in enabling scalable and real-time fraud detection. The integration of distributed computing ensures that the system can operate efficiently across high-volume transaction environments, making it suitable for modern banking and digital payment platforms.

A key contribution of this study is the formalization of uncertainty as a core component of fraud detection systems. By distinguishing between aleatoric and epistemic uncertainty, the framework provides deeper interpretability and improved decision reliability compared to conventional deterministic models.

However, the study also acknowledges limitations, including computational complexity, dependency on high-quality data, and lack of empirical dataset validation. Future research should focus on real-world deployment, reinforcement learning-based adaptive updates, and integration with blockchain-based verification systems.

In conclusion, the proposed VMTAP framework represents a significant advancement in AI-driven financial security systems. It provides a scalable, intelligent, and uncertainty-aware foundation for next-generation fraud detection platforms in virtualized monetary environments.

REFERENCES

1. Abdullaev, N. Prodanova, M. A. Ahmed, E. L. Lydia, B. Shrestha, G. P. Joshi, and W. Cho, "Leveraging Metaheuristics with Artificial Intelligence for Customer Churn Prediction in Telecom Industries," *Electronic Research Archive*, vol. 31, no. 8, pp. 4443–4458, 2023.
2. Abdullaev, N. Prodanova, K. A. Bhaskar, E. L. Lydia, S. Kadry, and J. Kim, "Task Offloading and Resource Allocation in IoTBased Mobile Edge Computing Using Deep Learning," *Computers, Materials & Continua*, vol. 76, no. 2, pp. 1463–1477, 2023.
3. A. Chakraborty and D. Vetrithangam, "ExRAN: Deep Ensemble Majority Voting using Transfer Learning for Brain Tumor Identification from Magnetic Resonance Imaging," In *2023 International Conference on Inventive Computation Technologies (ICICT)*, Apr. 2023, pp. 130–134.
4. Raj and D. Vetrithangam, "Prediction of customer churn using resampling and ensemble classification algorithms on telecom dataset," In *2023 11th International Conference on Emerging Trends in Engineering & Technology-Signal and Information Processing (ICETET-SIP)*, Apr. 2023, pp. 1–7.
5. Babu G et al., "Enhancing Security with Machine Learningbased Finger-Vein Biometric Authentication System." In *2024 5th International Conference on Mobile Computing and Sustainable Informatics (ICMCSI)*, pp. 797–802. IEEE, 2024.
6. Chakrapani, Ganjikunta et al. "Optimizing sample length for fault diagnosis of clutch systems using deep learning and vibration analysis." *Proceedings of the Institution of Mechanical Engineers, Part E: Journal of Process Mechanical Engineering* (2024): 09544089241272791.
7. Chaudhari, K., and Thakkar, A. "Neural network systems with integrated coefficient of variation-based feature selection for stock price and trend prediction ". *Expert System Appl.* 2023, 219.
8. D. Vetrithangam, P. Shruti, B. Arunadevi, R. Himabindu, P. N. Kumar, A. R. Kumar, and D. R. Arnet Zitha, "Optimum feature selection based breast cancer prediction using modified logistic regression model," *Journal of Theoretical and Applied Information Technology*, vol. 101, no. 8, 2023.
9. E. Kembauw, J. F. X. Soekiman, E. L. Lydia, K. Shankar, and M. Huda, "Benefits of Corporate Mentoring for Business Organization," *Journal of Critical Reviews*, vol. 6, no. 5, pp. 101–106, 2019.
10. Kaushal Rajanish Kumar et al., "Fault Prediction and Awareness for Power Distribution in Grid Connected RES Using Hybrid Machine Learning." *Electric Power Components and Systems* (2024): pp. 1–22.
11. Kaushal et al., "Evaluation of Deep Learning Approaches for Air Quality Analysis using an Image Dataset." In *2024 Second International Conference on Intelligent Cyber Physical Systems and Internet of Things (ICoICI)*, pp. 1378–1383. IEEE, 2024.
12. Kaliappan, S. Mohanamurugan, and P. K. Nagarajan, "Numerical Investigation of Sinusoidal and Trapezoidal Piston Profiles for an IC Engine," *Journal of Applied Fluid Mechanics*, vol. 13, no. 1, pp. 287–298, 2020.

13. Kaliappan, Seeniappan, V. Paranthaman, L. Natrayan, Bura Vijay Kumar, and M. Muthukannan, "Leveraging Machine Learning Algorithm for Predicting Personality Traits on Twitter." In 2024 14th International Conference on Cloud Computing, Data Science & Engineering (Confluence), pp. 864–869. IEEE, 2024.
14. Kaliappan Seeniappan, V. Balaji, G. Bhavani Bharathi, and Srinivas Aluvala, "Data Mining for Predictive Analytics and Optimization of Treatment Plans in Cardiovascular Disease Management using Neural Networks." In 2024 International Conference on Advancements in Smart, Secure and Intelligent Computing (ASSIC), pp. 01–06. IEEE, 2024.
15. Lin, H.; Chen, X.; Chui, S.Y., "Stock prediction and analysis with an LSTM network," In Proceedings of the SPIE 12510 International Conference on Statistics, Data Science, and Computational Intelligence (CSDSCI 2022), Zhengzhou, China, August 2022.
16. Matharu Harmeet et al., "Developing an AI-Driven Personalization Engine for Real-Time Content Marketing in E-commerce Platforms." In 2024 15th International Conference on Computing Communication and Networking Technologies (ICCCNT), pp. 1–6. IEEE, 2024.
17. Mohan G et al., "Image Quality Enhancement using Deep Convolutional Network." In 2024 International Conference on Inventive Computation Technologies (ICICT), pp. 1272–1277. IEEE, 2024.
18. Natrayan, L., S. Kaliappan, and Sumit Pundir, "Control and Monitoring of a Quadcopter in Border Areas Using Embedded System." In 2023 4th International Conference on Smart Electronics and Communication (ICOSEC), pp. 91–94. IEEE, 2023.
19. P.S. Ranjit, et al., "Experimental Investigations on Hydrogen Supplemented Pinus Sylvestris Oil-based Diesel Engine for Performance Enhancement and Reduction in Emissions," FME Transactions, vol. 50, no. 2, pp. 313–321, 2022.
20. P.S. Ranjit, Pankaj Sharma and Mukesh Saxena, "Experimental Investigations on influence of Gaseous Hydrogen (GH₂) Supplementation in In-Direct Injection (IDI) Compression Ignition Engine fuelled with Pre-Heated Straight Vegetable Oil (PHSVO)," International Journal of Scientific & Engineering Research (IJSER), vol. 5, issue 10, 2014.
21. P. S. Paul and D. Vetrithangam, "Design and Analysis of an Efficient and Load-Balanced Multipath Routing Algorithm for Energy-Effective Wireless Sensor Networks," International Journal of Intelligent Systems and Applications in Engineering, vol. 11, pp. 601–617, 2023.
22. P. Kantamneni, D. Vetrithangam, M. M. Saisree, S. Shargunam, S. S. Kumar, and A. Bekkanti, "Optimized fuzzy c-means (FCM) clustering for high-precision brain image segmentation and diagnosis using DenseNet features," Journal of Theoretical and Applied Information Technology, vol. 101, no. 24, 2023.
23. Selvi et al., "Transfer Learning Approaches for Improved Thyroid Detection." In 2024 5th International Conference on Electronics and Sustainable Communication Systems (ICESC), pp. 1311–1317. IEEE, 2024.
24. Sreethar S et al., "Implementation of cross layer design with localization techniques in wireless sensor networks using deep learning." In 2024 International Conference on Expert Clouds and Applications (ICOECA), pp. 607–613. IEEE, 2024.
25. Suman Turpati et al., "IoT based Social Device Network with Cloud Computing Architecture." In 2023 Second International Conference on Electronics and Renewable Systems (ICEARS), pp. 502–505. IEEE, 2023.
26. V D, P. M. Ebin, P. Nareshkumar, B. Arunadevi, A. Fathima, and A. R. Kumar, "Enhanced VGG-19 Model for Accurate Brain Tumor Prediction," In 2023 International Conference on Network, Multimedia and Information Technology (NMITCON), Sept. 2023.

27. V. Vetrithangam, A. Devi, and S. Aggarwal, "Multi disease prediction based on combined deep reinforcement Boltzmann machines," AIP Conf. Proc., vol. 2555, no. 1, Oct. 2022.
28. Y. Li, K. Fu, Y. Zhao, C. Yang, "How can a machine select stocks in the same way that fund managers do? Use the scoring and screening model," Expert Systems with Applications, 2022, 196, 116629.